

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2651	434/118,323,350,353,365,307R.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/03 16:27
S2	2	S1 AND ((packet WITH header) SAME (code WITH bit))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/14 12:27
S3	1064	(learning OR education) ADJ6 (system OR method).ti.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/03 16:41
S4	10	(internet OR "web biased") NEAR8(learning OR education) ADJ6 (system OR method).ti.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/03 16:55
S5	16	((internet OR "web biased") NEAR8(learning OR education) ADJ8 (system OR method))AND(management ADJ6 server)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/03 16:59
S6	0	(internet)AND (Management SAME server) AND (authentication OR Authorization)AND ((learner OR student) SAME server)AND ((problem OR question) SAME database)AND (dictionary SAME database)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/09 16:49
S7	0	(Management SAME server) AND (authentication OR Authorization)AND ((learner OR student) SAME server)AND ((problem OR question) SAME database)AND (dictionary SAME database)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/09 16:50
S8	136	(Management SAME server) AND (authentication OR Authorization)AND ((learner OR student) SAME server)AND ((problem OR question) SAME database)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/09 16:50

EAST Search History

S9	1710	((learning NEAR8(system OR method)).ti.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/14 12:57
S10	79	S9 AND ((problem OR question) NEAR6 database)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/14 12:35
S11	13	((Learning OR education) ADJ8 (method OR system)) AND (packet SAME (header NEAR9 code))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/14 12:42
S12	59	((Learning OR education) NEAR6 (method OR system)) AND (packet SAME (header SAME code))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/14 12:42
S13	46	S12 NOT S11	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/14 12:43
S14	20	(packet NEAR8 header) AND ((code NEAR6 classification))AND ((learn\$4 OR educat\$5) NEAR6 (system OR method))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/14 13:09
S15	830	(packet NEAR8 header) AND ((code))AND ((learn\$4 OR educat\$5) NEAR12 (system OR method))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/14 13:09
S16	810	S15 NOT S14	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/14 14:02
S17	56	((packet NEAR8 header) SAME code)AND((education\$4 OR learning) ADJ10 (system OR method))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/14 14:07
S20	3	((problem NEAR10 database) SAME "difficulty level") AND ((education\$4 OR learn\$4)NEAR8 (method OR system))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/08/21 08:47

EAST Search History

S21	1	("20050164155").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/14 17:04
S22	1	("20050164155").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/14 17:04
S23	6	((problem SAME database) SAME "difficulty level") AND ((education\$4 OR learn\$4)NEAR8 (method OR system))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/08/14 17:05
S24	774	((learn\$5 OR educat\$9) NEAR6 (meyhod OR system))AND(ability AND(test SAME score))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/16 12:23
S25	138	((learn\$5 OR educat\$9) NEAR10(meyhod OR system))AND(ability AND(test SAME scor\$4))AND((problem OR question)WITH database)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/16 13:02
S26	1072	((education OR learning)ADJ6(system OR method)).ti.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/16 13:04
S27	1	(Progress ADJ6 sequence)SAME ((student\$3 OR learner\$3) ADJ8 history)AND(test ADJ8 scor\$5 program) AND ((learning OR educat\$6) ADJ8 (system OR method))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/16 14:43
S28	1	(Progress NEAR8 sequence)SAME ((student\$3 OR learner\$3) ADJ8 history)AND(test ADJ8 scor\$5 program) AND ((learning OR educat\$6) ADJ8 (system OR method))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/16 14:44
S29	1	(Progress NEAR8 level)SAME ((student\$3 OR learner\$3) ADJ8 history)AND(test ADJ8 scor\$5 program) AND ((learning OR educat\$6) ADJ8 (system OR method))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/16 14:44
S30	7	(Progress NEAR8 sequence)AND ((student\$3 OR learner\$3) ADJ8 history)AND(test ADJ8 scor\$5 program) AND ((learning OR educat\$6) ADJ8 (system OR method))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/16 14:45

EAST Search History

S31	611	(method OR system)AND(test\$4 SAME (problem NEAR8 increas\$6) SAME"difficulty level") AND (repeat	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/16 17:11
S32	75	(method OR system)AND(test\$4 SAME (problem NEAR8 increas\$6) SAME"difficulty level") AND (repeat ADJ8 test)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/16 17:15
S33	0	((learn\$4 OR educat\$4) NEAR8 (method OR system))AND(test\$4 SAME (problem NEAR8 increas\$6) SAME"difficulty level") AND (repeat ADJ8 test)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/16 17:16
S34	85	((learn\$4 OR educat\$4) NEAR8 (method OR system))AND(test\$4 SAME (problem NEAR8 increas\$6) SAME"difficulty level")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/16 17:16
S35	0	((method and system)NEAR(educat\$6 OR learn\$4)NEAR4 test\$4).ti.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 07:21
S36	4	((method and system)NEAR6(educat\$6 OR learn\$4)NEAR4 test\$4).ti.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 07:22
S37	5	((method and system)NEAR6(educat\$6 OR learn\$4)NEAR10 test\$4).ti.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 07:23
S38	36	((method OR system)NEAR6(educat\$6 OR learn\$4)NEAR10 test\$4).ti.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 07:46
S41	1	((method OR system)SAME(educat\$6 OR learn\$4))AND (test\$4 SAME (scor\$6 NEAR10 subjective ADJ10 question))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 07:49
S42	6	((method OR system)NEAR8(educat\$6 OR learn\$4))AND (test\$4 AND (scor\$6 NEAR10 subjective ADJ6 question))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 08:11

EAST Search History

S53	667	((method OR system)AND(educat\$6 OR learn\$4))AND (packet AND ((header AND (classification AND code)) AND (difficulty AND code)))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 08:46
S54	1	((method OR system)AND(educat\$6 OR learn\$4))AND (packet AND ((header AND (classification AND code)) AND (difficulty ADJ6 code)))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 08:29
S55	62	((method OR system)AND(educat\$6 OR learn\$4))AND (packet AND ((header AND (classification NEAR6 code)) AND (difficulty AND code)))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 08:41
S56	1	((method OR system)AND(educat\$6 OR learn\$4))AND (packet AND ((header AND (classification NEAR6 code)) AND (difficulty NEAR12 code)))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 08:42
S57	104	((method OR system)AND(educat\$6 OR learn\$4))AND (packet AND ((header AND (classification ADJ6 code))))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 09:55
S60	3	((packet NEAR8 header) SAME code)AND((education\$4 OR learning)ADJ10 (system OR method))AND(classification ADJ8 code)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 10:03
S61	57	((packet NEAR8 header) SAME code)AND((education\$4 OR learning)ADJ10 (system OR method))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 10:26
S72	411	(packet)AND(header AND (classification NEAR8 code))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 10:34
S73	121	(packet)AND(header SAME (classification NEAR8 code))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 10:34
S74	50	(packet)AND(header SAME (classification NEAR4 code))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 10:52

EAST Search History

S75	40	(packet SAME header) AND(classification NEAR4 code)AND ((learn\$4 OR educat\$5) SAME (method OR system))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 11:09
S76	2	(packet SAME header) AND(classification ADJ6 code)AND(medium ADJ8 code) AND ((learn\$4 OR educat\$5) SAME (method OR system))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 11:17
S77	2	(packet SAME header) AND(classification ADJ10 code)AND(medium ADJ8 code) AND ((learn\$4 OR educat\$5) SAME (method OR system))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 11:17
S78	0	((packet ADJ8 strcture) SAME header) AND(classification SAME code)AND(medium SAME code) AND ((learn\$4 OR educat\$5) SAME (method OR system))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 11:18
S79	3	((packet ADJ6 structure) SAME header) AND(classification SAME code)AND(medium SAME code) AND ((learn\$4 OR educat\$5) SAME (method OR system))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 11:21
S82	5	((packet SAME structure) SAME header) AND(classification SAME code)AND(medium SAME code) AND ((learn\$4 OR educat\$5) SAME (method OR system))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/17 11:22
S83	3	(packet NEAR8 Structure) AND header AND (Classification NEAR8 code)AND (medium NEAR8 code)AND batch	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2007/08/21 06:53
S84	87	(learning NEAR8 (method OR system)) AND packet AND header AND (Classification AND code)AND (medium AND code)AND batch	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/21 07:00
S85	31	(data ADJ6 packet NEAR4 structure).ti.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/21 07:37
S86	10	("5179548" "5218604" "5327427" "5835591" "5892910" "5954835" "6226291" "6359656" "6397000" "6594280").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/21 07:36
S87	1	("6826197").URPN.	USPAT	OR	OFF	2007/08/21 07:37

EAST Search History

S88	51	((data NEAR8 packet) WITH structure).ti.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/21 07:54
S89	33	(packet SAME header)AND(medium NEAR6 code)AND(classification NEAR6 code)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/21 07:59
S90	1	US-20040039939-\$.did.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/08/21 10:11